

5500/5700 Series

Standard Patio Door





PARTNER OF THE YEAR

Andersen Corporation, including its subsidiary Silver Line Building Products LLC, earned the 2011 ENERGY STAR® Partner of the Year award.

Silver Line[®]
WINDOWS • DOORS
an Andersen Company



Standard Patio Door



5500/5700 Series Patio Door


Features & Benefits:

- Insulated glass helps improve energy savings and helps reduce heating and cooling costs
- Standard tempered glass helps reduce the risk of injury
- Dual weatherstripping virtually eliminates drafts for a more energy efficient home
- Tandem, self-leveling ball bearing rollers for effortless operation
- Fusion-welded, steel reinforced vinyl panels create a strong, weathertight door
- Available packaged as separate components for easy transportation (5500 Series) or fully assembled for faster installation (5700 Series)

The Silver Line® 5500/5700 Series patio door offers a unique blend of aesthetic appeal, energy efficiency and affordable convenience. This value-minded door is available in several standard sizes and with several design options, allowing you to create a door to fit your needs and your budget. For easy handling and transportation, the 5500 Series patio door is packaged as separate components. For fast, easy installation, the fully assembled 5700 Series patio door is available.

Color

These Silver Line® vinyl patio doors are available in white and beige. The color is consistent throughout the frame and panels, making scratches virtually invisible.



White

Beige

Energy Efficient Glass Options

All Silver Line windows and doors are available with energy efficient, dual-pane glass options to achieve the level of comfort and energy savings you are looking for. This door offers:

Tempered Glass – A heat-treated glass that shatters into pebble-sized pieces instead of larger shards to reduce the risk of injury. This glass is standard on our patio doors.



Tempered Glass

LoE2 Glass – Designed to efficiently and transparently reflect heat, this glass helps keep your home warmer in the winter and cooler in the summer. This can help reduce your energy bills while still ensuring exceptional clarity.

LoE3 Glass – This highly efficient glass helps reflect even more heat, resulting in increased comfort and energy savings year-round.

Argon Gas Fill – An odorless, non-toxic gas that helps reduce heat loss, helping to save on heating costs.

ENERGY STAR®




Andersen Corporation, including its subsidiary Silver Line Building Products LLC, earned the 2011 ENERGY STAR® Partner of the Year award.

When shopping for doors, look for doors that have the ENERGY STAR® label. These doors are deemed to be energy efficient by the U.S. Department of Energy. This door meets ENERGY STAR version 5.0 qualifications in all 50 states with optional LoE3 glass and Argon gas.

Hardware

Durable, color coordinated metal handles are designed to provide easy operation.



Exterior
(Shown in white)


Interior
(Shown in white)

Printing limitations prevent exact color duplication. See your Silver Line supplier for actual color samples.


Silver Line does not warrant that inert gas infills (such as Argon gas), sealed in the insulated glass unit at the point of manufacture, will not dissipate over time. Silver Line reserves the right to change product designs, specifications, details and pricing at any time without prior notification.

Grilles and Patterns


Our grilles-between-the-glass options are specially designed to enhance your home's décor and make cleaning your doors a breeze. Grilles are available in several different patterns that are sure to add style to any home.




Flat



Contour




Colonial




Prairie

Design Possibilities


Create a new and unique look for your home with one of our available models, including:



5502/5700
2-Panel Patio Door




5503
3-Panel Patio Door



5504
4-Panel Patio Door

5500/5700 Series Patio Door Features




For more information on Silver Line® windows and doors visit us at www.silverlinewindows.com or call us at 800.234.4228

Performance labels provide the U-Factor and SHGC ratings of a product. The lower the U-Factor, the more you'll save on heating bills. A low SHGC rating will help save on cooling costs. This door has been tested and certified to NFRC standards for energy efficiency.

Glass Type	No Grilles			Grilles		
	U-Factor	SHGC	ENERGY STAR	U-Factor	SHGC	ENERGY STAR
Clear	0.47	0.63	-	0.47	0.56	-
LoE2	0.33	0.34	-	0.33	0.30	-
LoE2 w/ Argon Gas	0.29	0.34	-	0.29	0.30	Qualified
LoE3	0.32	0.26	-	0.32	0.23	Qualified
LoE3 w/ Argon Gas	0.29	0.26	Qualified	0.29	0.23	Qualified

Thermal data shown is for products with standard glass construction required to meet published Performance Grade or Design Pressure ratings.



This door has been tested to the AAMA/WDMA/CSA 101/I.S. 2/A440 standard for product performance. A product only achieves the resulting Performance Grade (PG) or Design Pressure (DP) rating if it complies with all the requirements in the standard (i.e. structural loading, air infiltration resistance, water penetration resistance, etc.). A higher PG or DP rating indicates the product has passed higher performance requirements to the AAMA/WDMA/CSA 101/I.S. 2/A440 testing standard.

Type	Size	Rating
2-Panel	72" x 80"	DP 30
	96" x 82"	DP 15
4-Panel	142" x 80"	DP 15